firm sum, stra, mus.

1

1

3.

## **CLAIMS**

What is claimed is:

- A method of transmitting data over a network, the method comprising: 1
- activating a sensor in an electronic device; 2
- in response to the activation of the sensor, establishing a data connection 3
- between the electronic device and a cradle; 4
- downloading data from the electronic device to the cradle; and 5
- transmitting the data from the cradle to a network server. 6
- The method of claim 1 wherein the data connection is an infrared connection 2. and the sensor is a magnetic read switch. 2

The method of claim 1 wherein the sensor is activated when the electronic

- g gran nasy grac geno P that gest them. Bou, a nort these that may!
  - device is placed into the cradle.
  - The method of claim 1 further comprising terminating the data connection 1 4.
  - between the electronic device and the cradle when the downloading is completed. 2
  - The method of claim 1 wherein the data is personal data of a user of the 1 5.
  - electronic device. 2

- 1 6. The method of claim 1 further comprising presenting the data to a user on a
- 2 web site.
- The method of claim 6 wherein the web site is a personal web site of the user
- 2 or a company web site accessible by the user.
- 1 8. The method of claim 1 wherein the electronic device is a personal data capture
- 2 device.
- 1 9. The method of claim 1 wherein the data is transmitted to the network server
- 2 using a wireless transmitter via a wireless carrier.
- 1 10. The method of claim 1 wherein the data is transmitted to the network server
- 2 using a modem via a wide area network.
- 1 11. A system comprising:
- 2 a cradle to transmit data to a network server; and
- 3 an electronic device, coupled to the cradle, the electronic device including
- a sensor to trigger a data connection between the electronic device and
- 5 the cradle, and
- a transmitter to download the data to the cradle.

1 12 The system of claim 1 wherein the data connection is an infrared connection

- 2 and the sensor is a magnetic read switch.
- 1 13. The system of claim 11 wherein the sensor is activated when the electronic
- 2 device is placed into the cradle.
- 1 14. The system of claim 11 wherein the electronic device includes a processor to
- 2 terminate the connection between the electronic device and the cradle when the
- 3 download is completed.
- The system of claim 11 wherein the data is personal data of a user of the
- 2 electronic device.
- The system of claim 11 further comprising a web site to present the data to a
- 2 user.

Mark Mark

- 1 17. The system of claim 16 wherein the web site is a personal web site of the user
- 2 or a company web site accessible by the user.
- 1 18. The system of claim 11 wherein the electronic device is a personal data capture
- 2 device.

- The system of claim 11 wherein the cradle includes a receiver to receive the 19. 1
- data from the electronic device. 2
- The system of claim 19 wherein the receiver is an infrared receiver. 1 20.
- The system of claim 11 wherein the cradle includes a wireless transmitter to 21. 1
- transmit the data to the network server via a wireless carrier. 2
- The system of claim 11 wherein the cradle includes a modem to transmit the 22. 1 and the control of th
  - data to the network server via a wide area network.
  - A computer readable medium that provides instructions, which when 23. executed on a processor, cause said processor to perform operations comprising:
  - 3 activating a sensor in an electronic device;
  - in response to the activation of the sensor, establishing a data connection
  - between the electronic device and a cradle; 5
  - downloading data from the electronic device to the cradle; and 6
  - transmitting the data from the cradle to a network server. 7